

付録7：ICD-O第3版（一部改正2012）で 新しく設けられたコード

（下記の5桁形態コードは、ICD-O第3版(2000)には存在していない）
コード番号を伴っていない用語は1つ前のコード番号を伴う用語の同義語である

<p>8077/0* 扁平上皮内腫瘍, 低異型度 肛門上皮内腫瘍, 低異型度 (C21.1) 子宮頸上皮内腫瘍, 低異型度 (C53.) 食道扁平上皮内腫瘍 (異形成), 低異型度 (C53.)</p>	<p>8077/0* Squamous intraepithelial neoplasia, low grade Anal intraepithelial neoplasia, low grade (C21.1) Cervical intraepithelial neoplasia, low grade (C53.) Esophageal squamous intraepithelial neoplasia (dysplasia), low grade (C15.)</p>
<p>8148/0* 上皮内腺腫瘍, 低異型度 胆管上皮内腫瘍, 低異型度 食道腺上皮異形成 (上皮内腫瘍), 低異型度 (C16.)</p>	<p>8148/0* Glandular intraepithelial neoplasia, low grade Biliary glandular intraepithelial neoplasia, low grade Esophageal glandular dysplasia (intraepithelial neoplasia), low grade (C16.)</p>
<p>8158/1* 機能性内分泌腫瘍、NOS ACTH産生腫瘍</p>	<p>8158/1* Endocrine tumor, functioning, NOS ACTH-producing tumor</p>
<p>8163/0* 膵胆管腫瘍、非浸潤性 軽度異形成を伴う非浸潤性乳頭状膵胆管腫瘍 低異型度上皮内腫瘍を伴う非浸潤性乳頭状膵胆管腫瘍</p>	<p>8163/0* Pancreatobiliary neoplasm, non-invasive Noninvasive pancreatobiliary papillary neoplasm with low grade dysplasia Noninvasive pancreatobiliary papillary neoplasm with low grade intraepithelial neoplasia</p>
<p>8163/2* 高異型度上皮内腫瘍を伴う乳頭状腫瘍, 膵胆管型 (C24.1) 高度異形成を伴う非浸潤性乳頭状膵胆管腫瘍 (C24.1) 高異型度上皮内腫瘍を伴う非浸潤性乳頭状膵胆管腫瘍 (C24.1)</p>	<p>8163/2* Pancreatobiliary neoplasm, non-invasive (C24.1) Noninvasive pancreatobiliary papillary neoplasm with high grade dysplasia (C24.1) Noninvasive pancreatobiliary papillary neoplasm with high grade intraepithelial neoplasia (C24.1)</p>
<p>8163/3* 膵胆管 (上皮) 型癌 (C24.1) 膵胆管 (上皮) 型腺癌 (C24.1)</p>	<p>8163/3* Pancreatobiliary-type carcinoma (C24.1) Adenocarcinoma, pancreatobiliary type (C24.1)</p>
<p>8213/3* 鋸歯状腺癌 8265/3* 微小乳頭状癌、NOS (C18., C19.9, C20.9)</p>	<p>8213/3* Serrated adenocarcinoma 8265/3* Micropapillary carcinoma, NOS (C18., C19.9, C20.9)</p>
<p>8480/1* 低異型度虫垂粘液腫瘍 (C18.1)</p>	<p>8480/1* Low grade appendiceal mucinous neoplasm (C18.1)</p>
<p>8552/3* 混合型腺房腺管癌 8975/1* 石灰化ネスト化間質上皮腫瘍 (C22.0)</p>	<p>8552/3* Mixed acinar-ductal carcinoma 8975/1* Calcifying nested epithelial stromal tumor (C22.0)</p>
<p>9395/3* 松果体部乳頭状腫瘍 9425/3* 毛様細胞性星細胞腫</p>	<p>9395/3* Papillary tumor of the pineal region 9425/3* Pilomyxoid astrocytoma</p>
<p>9431/1* 血管中心性膠腫</p>	<p>9431/1* Angiocentric glioma</p>
<p>9432/1* 下垂体細胞腫</p>	<p>9432/1* Pituitary tumor</p>
<p>9509/1* 乳頭状グリア神経細胞腫瘍</p>	<p>9509/1* Papillary glioneuronal tumor</p>

9597/3*	ロゼット形成性グリア神経細胞腫瘍 皮膚原発濾胞中心リンパ腫	9597/3*	Rosette-forming glioneuronal tumor Primary cutaneous follicle centre lymphoma
9688/3*	T細胞/組織球豊富型大細胞型B細胞リン パ腫 ※2	9688/3*	T-cell rich/histiocyte rich large B-cell lymphoma ※2
9712/3*	血管内大細胞型B細胞リンパ腫 (C49.9)	9712/3*	Intravascular large B-cell lymphoma (C49.9)
9724/3*	小児期全身性EBV陽性T細胞 リンパ増殖異常症	9724/3*	Systemic EBV positive T-cell lymphoproliferative disease of childhood
9725/3*	種痘様水疱症類似リンパ腫	9725/3*	Hydroa vacciniforme-like lymphoma
9726/3*	原発性皮膚ガンマ・デルタT細胞性 リンパ腫	9726/3*	Primary cutaneous gamma-delta T-cell lymphoma
9735/3*	形質芽細胞リンパ腫	9735/3*	Plasmablastic lymphoma
9737/3*	ALK陽性大細胞型B細胞リンパ腫	9737/3*	ALK positive large B-cell lymphoma
9738/3*	HHV8関連キャッスルマン病に発生する 大細胞型B細胞リンパ腫	9738/3*	Large B-cell lymphoma arising in HHV8-associated multicentric Castleman disease
9741/1*	無症候性全身性肥満細胞症	9741/1*	Indolent systemic mastocytosis
9751/3*	ランゲルハンス細胞組織球症, NOS※1 (9751/1から性状コード変更) ☆	9751/3*	Langerhans cell histiocytosis, NOS※1 (behavior code change) ☆
9806/3*	混合表現性急性白血病, t(9;22)(q34;q11.2); BCR-ABL1	9806/3*	Mixed phenotype acute leukemia with t(9;22)(q34;q11.2); BCR-ABL1
9807/3*	混合形質性急性白血病, t(v;11q23); 骨髄性白血病/MML再構成を伴う	9807/3*	Mixed phenotype acute leukemia with t(v;11q23); MLL rearranged
9808/3*	混合形質性急性白血病, t(v;11q23); B細胞性/骨髄性, NOS	9808/3*	Mixed phenotype acute leukemia B/myeloid, NOS
9809/3*	混合形質性急性白血病, t(v;11q23); T細胞性/骨髄性, NOS	9809/3*	Mixed phenotype acute leukemia T/myeloid, NOS
9811/3*	B細胞リンパ芽球性白血病/リンパ腫, NOS	9811/3*	B lymphoblastic leukemia/lymphoma, NOS
9812/3*	B細胞リンパ芽球性白血病/リンパ腫, t(9;22)(q34;q11.2); BCR-ABL1	9812/3*	B lymphoblastic leukemia/lymphoma with t(9;22)(q34;q11.2); BCR-ABL1
9813/3*	B細胞リンパ芽球性白血病/リンパ腫, t(v;11q23); MML再構成を伴う	9813/3*	B lymphoblastic leukemia/lymphoma with t(v;11q23); MLL rearranged
9814/3*	B細胞リンパ芽球性白血病/リンパ腫, t(12;21)(p13;q22); TEL-AML1 (ETV6-RUNX1)	9814/3*	B lymphoblastic leukemia/lymphoma with t(12;21)(p13;q22); TEL-AML1 (ETV6-RUNX1)
9815/3*	高二倍性B細胞リンパ芽球性 白血病/リンパ腫	9815/3*	B lymphoblastic leukemia/lymphoma with hyperdiploidy
9816/3*	低二倍性B細胞リンパ芽球性 白血病/リンパ腫, (Hypodiploid ALL)	9816/3*	B lymphoblastic leukemia/lymphoma with hypodiploidy (Hypodiploid ALL)
9817/3*	B細胞リンパ芽球性白血病/リンパ腫, t(5;14)(q31;q32); IL3-IGH	9817/3*	B lymphoblastic leukemia/lymphoma with t(5;14)(q31;q32); IL3-IGH
9818/3*	B細胞リンパ芽球性白血病/リンパ腫, t(1;19)(q23;p13.3); E2A-PBX1 (TCF3-PBX1)	9818/3*	B lymphoblastic leukemia/lymphoma with t(1;19)(q23;p13.3); E2A-PBX1 (TCF3-PBX1)
9831/3*	T細胞大顆粒リンパ球性白血病 ※1 (9831/1から性状コード変更) ☆	9831/3*	T-cell large granular lymphocytic leukemia (behavior code change from 9831/1)
9865/3*	急性骨髄性白血病, t(6;9)(p23;q34); DEK-NUP214	9865/3*	Acute myeloid leukemia, with t(6;9)(p23;q34); DEK-NUP214

9869/3*	急性骨髄性白血病, inv(3)(q21q26.2) or t(3;3)(q21;q26.2); RPN1-EVI1	9869/3*	Acute myeloid leukemia, with inv(3)(q21q26.2) or t(3;3)(q21;q26.2); RPN1-EVI1
9898/1*	一過性異常骨髄造血1	9898/1*	Transient abnormal myelopoiesis
9898/3*	ダウン症候群に伴う骨髄性白血病	9898/3*	Myeloid leukemia associated with Down syndrome
9911/3*	急性骨髄性白血病(巨核芽球性), t(1;22)(p13;q13); RBM15-MKL1	9911/3*	Acute myeloid leukemia (megakaryoblastic), with t(1;22)(p13;q13); RBM15-MKL1
9965/3*	PDGFRA再構成を伴う骨髄系とリンパ系 腫瘍	9965/3*	Myeloid and lymphoid neoplasms with PDGFRA rearrangement
9966/3*	PDGFRB再構成を伴う骨髄系腫瘍	9966/3*	Myeloid neoplasms with PDGFRB rearrangement
9967/3*	FGFR1異常を伴う骨髄系とリンパ系腫瘍	9967/3*	Myeloid and lymphoid neoplasms with FGFR1 abnormalities
9971/1*	移植後リンパ増殖異常症, NOS	9971/1*	Post transplant lymphoproliferative disorder, NOS PTLD, NOS
9971/3*	多彩浸潤型移植後リンパ増殖異常症	9971/3*	Polymorphic post transplant lymphoproliferative disorder
9975/3*	骨髄増殖性腫瘍, 分類不能型 骨髄異形成/骨髄増殖性腫瘍, 分類不能型	9975/3*	Myeloproliferative neoplasm, unclassifiable Myelodysplastic/myeloproliferative neoplasm, unclassifiable
9991/3*	不応性好中球減少症	9991/3*	Refractory neutropenia
9992/3*	不応性血小板減少症	9992/3*	Refractory thrombocytopenia

付録 8 : ICD-O第3版 (一部改正2012) で 新しい形態用語及び類義語

(4桁の形態コードそのものは、ICD-O第3版(2000)に記載されており、
ICD-O第3版(一部改正2012)で用語の名称が変更になったもの)

8077/2	扁平上皮内腫瘍、高異型度★ 食道扁平上皮内腫瘍(異形成)、高異型度 (C15.)★	8077/2	Squamous intraepithelial neoplasia, high grade★ Esophageal squamous intraepithelial neoplasia (dysplasia), high grade (C15.)★
8148/2	上皮内腺腫瘍、高異型度★ 平坦型上皮内腫瘍、高異型度★ 平坦型上皮内腺腫瘍、高異型度 (C24.1)★ 平坦型上皮内腫瘍(異形成)、高異型度 (C24.1)★ 胆管上皮内腫瘍、高異型度★ 胆管上皮内腫瘍、Ⅲ度 (BillIN-3)★ 食道腺上皮異形成(上皮内腫瘍)、高異型度 (C16.)★	8148/2	Glandular intraepithelial neoplasia, high grade★ Flat intraepithelial neoplasia, high grade★ Flat intraepithelial glandular neoplasia, high grade (C24.1)★ Flat intraepithelial neoplasia (dysplasia), high grade (C24.1)★ Biliary intraepithelial neoplasia, high grade★ Biliary intraepithelial neoplasia, grade 3 (BillIN-3)★ Esophageal glandular dysplasia (intraepithelial neoplasia), high grade (C16.)★
8150/0	膵内分泌腫瘍、良性 (C25.)★ 膵微小腺腫 (C25.)★	8150/0	Pancreatic endocrine tumor, benign (C25.)★ Pancreatic microadenoma (C25.)★
8150/1	膵内分泌腫瘍、NOS (C25.)★	8150/1	Pancreatic endocrine tumor, NOS (C25.)★
8150/3	膵内分泌腫瘍、悪性★ 膵内分泌腫瘍、非機能性★	8150/3	Pancreatic endocrine tumor, malignant★ Pancreatic endocrine tumor, nonfunctioning★
8152/1	L細胞腫瘍★ グルカゴン様ペプチド産生腫瘍★ 膵ペプチドと膵ペプチド様ペプチドを伴うチロシンアミノ産生腫瘍★ PP/PYY産生腫瘍★	8152/1	L-cell tumor★ Glucagon-like peptide-producing tumor★ Pancreatic peptide and pancreatic peptide-like peptide within terminal tyrosine amide producing tumor★ PP/PYY producing tumor★

8154/3	膵内分泌・外分泌細胞混合腫瘍、悪性 (C25.)★ 内分泌・外分泌細胞混合腺癌 (C25.)★ 小葉・内分泌・導管混合癌★	8154/3	Mixed pancreatic endocrine and exocrine tumor, malignant (C25.)★ Mixed endocrine and exocrine adenocarcinoma (C25.)★ Mixed acinar-endocrine-ductal carcinoma★
8201/3	篩状面胞型癌 (C18., C19.9, C20.9)★ 腺癌、篩状面胞型 (C18., C19.9, C20.9)★	8201/3	Cribriform comedo-type carcinoma (C18., C19.9, C20.9)★ Adenocarcinoma, cribriform comedo- type (C18., C19.9, C20.9)★
8213/0	鋸歯状腺腫★ 広基性鋸歯状腺腫★ 広基性鋸歯状ポリープ★ (通常型)広基性鋸歯状腺腫★	8213/0	Traditional serrated adenoma★ Sessile serrated adenoma★ Sessile serrated polyp★ Traditional sessile serrated adenoma★
8240/3	神経内分泌腫瘍、異型度Ⅰ★ 神経内分泌癌、低異型度★ 神経内分泌癌、高分化★	8240/3	Neuroendocrine tumor, grade 1★ Neuroendocrine carcinoma, low grade★ Neuroendocrine carcinoma, well- differentiated★
8244/3	腺神経内分泌癌★ カルチノイドと腺癌の混合癌★ MANEC★	8244/3	Mixed adenoneuroendocrine carcinom★ Combined/mixed carcinoid and adenocarcinoma★ MANEC★
8249/3	神経内分泌腫瘍、異型度Ⅱ★ 神経内分泌癌、中分化★	8249/3	Neuroendocrine tumor, grade 2★ Neuroendocrine carcinoma, moderately differentiated★
8263/0	管状乳頭状腺腫★	8263/0	Tubulo-papillary adenoma★
8290/0	紡錘細胞膨大細胞腫(C75.1)★	8290/0	Spindle cell oncocytoma (C75.1)★
8453/0	軽度異形成を伴う導管内乳頭状粘液腫 瘍 (C25.)★ 中等度異形成を伴う導管内乳頭状粘液 腫瘍 (C25.)★	8453/0	Intraductal papillary-mucinous tumor with low grade dysplasia (C25.)★ Intraductal papillary-mucinous neoplasm with low grade dysplasia (C25.)★ Intraductal papillary-mucinous neoplasm with moderate dysplasia (C25.)★ Intraductal papillary-mucinous tumor with intermediate dysplasia (C25.)★
8453/2	高等度異形成を伴う導管内乳頭状粘液 腫瘍★	8453/2	Intraductal papillary mucinous neoplasm with high grade dysplasia★

8453/3	浸潤癌を伴う導管内乳頭状粘液腫瘍★	8453/3	Intraductal papillary mucinous neoplasm with an associated invasive carcinoma★
8470/0	軽度異形成を伴う粘液性のう胞腫瘍 (C25.)★ 低異型度上皮内腫瘍を伴う粘液性のう胞腫瘍 (C22.)★ 中型異型度上皮内腫瘍を伴う粘液性のう胞腫瘍 (C22.)★ 軽度異形成を伴う粘液性のう胞腫瘍 (C25.)★ 中等度異形成を伴う粘液性のう胞腫瘍 (C25.)★	8470/0	Mucinous cystic tumor with low grade dysplasia (C25.)★ Mucinous cystic neoplasm with low-grade intraepithelial neoplasia (C22.)★ Mucinous cystic neoplasm with low-grade dysplasia (C25.)★ Mucinous cystic neoplasm with low-grade dysplasia (C25.)★ Mucinous cystic neoplasm with intermediate-grade dysplasia (C25.)★ Mucinous cystic tumor with intermediate dysplasia (C25.)★
8470/2	高等度異形成を伴う粘液性のう胞腫瘍 (C25.)★ 高異型度上皮内腫瘍を伴う粘液性のう胞腫瘍 (C22.)★	8470/2	Mucinous cystic tumor with high-grade dysplasia (C25.)★ Mucinous cystic neoplasm with high-grade dysplasia (C25.)★ Mucinous cystic neoplasm with high-grade intraepithelial neoplasia (C22.)★
8470/3	浸潤癌を伴う粘液性のう胞腫瘍 (C25.)★	8470/3	Mucinous cystic tumor with an associated invasive carcinoma (C25.)★ Mucinous cystic neoplasm with an associated invasive carcinoma (C25.)★
8490/3	低粘着性癌★	8490/3	Poorly cohesive carcinoma★
8503/0	導管内乳頭状腫瘍、NOS★ 低異型度上皮内腫瘍を伴う導管内乳頭状腫瘍 (C22., C24.0)★ 中異型度上皮内腫瘍を伴う導管内乳頭状腫瘍(C22., C24.0)★ 低異型度上皮内腫瘍を伴うのう胞内乳頭状腫瘍 (C23.9)★	8503/0	Intraductal papillary neoplasm, NOS★ Intraductal papillary neoplasm with low grade intraepithelial neoplasia (C22., C24.0)★ Intraductal papillary neoplasm with intermediate grade intraepithelial neoplasia (C22., C24.0)★ Intracystic papillary neoplasm with low grade intraepithelial neoplasia (C23.9)★

	中異型度上皮内腫瘍を伴うのう胞内乳頭状腫瘍 (C23.9)★		Intracystic papillary neoplasm with intermediate grade intraepithelial neoplasia (C23.9)★
	低異型度上皮内腫瘍を伴う腺内乳頭状腫瘍 (C22.1, C24.0)★		Intraglandular papillary neoplasm with low grade intraepithelial neoplasia (C22.1, C24.0)★
	導管内管状乳頭状腫瘍、低異型度★		Intraductal tubular-papillary neoplasm, low grade★
8503/2	高異型度上皮内腫瘍を伴う導管内乳頭状腫瘍★	8503/2	Intraductal papillary neoplasm with high grade intraepithelial neoplasia★ Intraductal papillary tumor with high grade intraepithelial neoplasia★
	高度異形成を伴う導管内乳頭状腫瘍★		Intraductal papillary neoplasm with high grade dysplasia★ Intraductal papillary tumor with high grade dysplasia★
	高異型度上皮内腫瘍を伴うのう胞内乳頭状腫瘍(C23.9)★		Intracystic papillary neoplasm with high grade intraepithelial neoplasia (C23.9)★ Intracystic papillary tumor with high grade intraepithelial neoplasia (C23.9)★
	高度異形成を伴うのう胞内乳頭状腫瘍 (C23.9)★		Intracystic papillary neoplasm with high grade dysplasia (C23.9)★ Intracystic papillary tumor with high grade dysplasia (C23.9)★
	導管内管状乳頭状腫瘍, 高異型度★		Intraductal tubular-papillary neoplasm, high grade★
8503/3	浸潤癌成分を伴う導管内乳頭状腫瘍★	8503/3	Intraductal papillary neoplasm with associated invasive carcinoma★
	浸潤癌成分を伴うのう胞内乳頭状腫瘍 (C23.9)★		Intracystic papillary neoplasm with associated invasive carcinoma (C23.9)★
8811/0	つる状線維粘液腫★	8811/0	Plexiform fibromyxoma★
8970/3	類上皮型肝芽腫 (C22.0) ★ 上皮間葉混合型肝芽腫 (C22.0) ★	8970/3	Hepatoblastoma, epithelioid (C22.0)★ Hepatoblastoma, mixed epithelial-mesenchymal (C22.0)★
9471/3	高度結節性髓芽腫★	9471/3	Medulloblastoma with extensive nodularity★
9474/3	退形成性髓芽腫★	9474/3	Anaplastic medulloblastoma★

9506/1	脳室外神経細胞腫★	9506/1	Extraventricular neurocytoma★
9591/3	脾性B細胞リンパ腫／白血病、NOS★ 脾びまん性赤脾髄小B細胞リンパ腫★ 有毛細胞白血病亜型★	9591/3	Splenic B-cell lymphoma/leukemia, unclassifiable★ Splenic diffuse red pulp small B-cell lymphoma Hairy cell leukemia variant★
9596/3	分類不能型B細胞リンパ腫, びまん性大細胞型B細胞リンパ腫と古典的ホジキンリンパ腫との中間型★	9596/3	B-cell lymphoma, unclassifiable, with features intermediate between diffuse large B-cell lymphoma and classical Hodgkin lymphoma★
9680/3	慢性炎症に伴うびまん性大細胞型B細胞リンパ腫★ 分類不能型B細胞リンパ腫, びまん性大細胞型B細胞リンパ腫とバーキットリンパ腫との中間型★ EBV陽性老人性びまん性大細胞型B細胞リンパ腫★ 中枢神経系原発びまん性大細胞性B細胞リンパ腫 (C70._, C71._, C72._)★ 皮膚原発びまん性大細胞型B細胞リンパ腫, 下肢型(C44.7)★	9680/3	Diffuse large B-cell lymphoma associated with chronic inflammation★ B-cell lymphoma, unclassifiable, with features intermediate between diffuse large B-cell lymphoma and Burkitt lymphoma★ EBV positive diffuse large B-cell lymphoma of the elderly★ Primary diffuse large B-cell lymphoma of the CNS (C70._, C71._, C72._)★ Primary cutaneous DLBCL, leg type (C44.7)★
9698/3	濾胞性リンパ腫、悪性度3A★ 濾胞性リンパ腫、悪性度3B★	9698/3	Follicular lymphoma, grade 3A★ Follicular lymphoma, grade 3B★
9699/3	節外性粘膜関連リンパ組織型辺縁帯リンパ腫★	9699/3	Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue★
9702/3	未分化大細胞リンパ腫, ALK陰性★	9702/3	Anaplastic large cell lymphoma, ALK negative★
9709/3	原発性皮膚CD8陽性アグレッシブ表皮向性細胞傷害性T細胞リンパ腫★ 原発性皮膚CD4陽性小／中T細胞リンパ腫★	9709/3	Primary cutaneous CD8-positive aggressive epidermotropic cytotoxic T-cell lymphoma★ Primary cutaneous CD4-positive small/medium T-cell lymphoma★
9714/3	未分化大細胞リンパ腫, ALK陽性★		Anaplastic large cell lymphoma, ALK positive★
9716/3	肝脾T細胞リンパ腫★	9716/3	Hepatosplenic T-cell lymphoma★
9719/3	節外性鼻型T細胞リンパ腫★	9719/3	Extranodal NK/T-cell lymphoma, nasal type★
9727/3	芽球性形質細胞様樹状細胞腫瘍★	9727/3	Blastic plasmacytoid dendritic cell neoplasm★

	芽球性NK細胞リンパ腫 [obs]★		Blastic NK cell lymphoma [obs]★
9734/3	骨外性形質細胞腫★	9731/3	Extraosseous plasmacytoma★
9740/1	皮膚肥満細胞症★	9740/1	Cutaneous mastocytosis★
	色素性じんま疹★		Urticaria pigmentosa★
	びまん性皮膚肥満細胞症★		Diffuse cutaneous mastocytosis★
	皮膚の孤立性肥満細胞腫★		Solitary mastocytoma of skin★
	皮膚外性肥満細胞腫★		Extracutaneous mastocytoma★
9741/3	肥満細胞以外のクローナルな造血細胞 異常を伴う全身性肥満細胞症★	9741/3	Systemic mastocytosis with associated hematological clonal non-mast cell disorder★
	AHNMDを伴う全身性肥満細胞症		Systemic mastocytosis with AHNMD
	アグレッシブ全身性肥満細胞症★		Aggressive systemic mastocytosis★
9757/3	未定型樹状細胞腫瘍★	9757/3	Indeterminate dendritic cell tumor★
9831/3	NK細胞慢性リンパ増殖症★	9831/3	Chronic lymphoproliferative disorder of NK cells★
9837/3	T細胞リンパ芽球性白血病／リンパ腫★	9837/3	T lymphoblastic leukemia/lymphoma★
9861/3	NPM1変異を伴う急性骨髄性白血病★	9861/3	Acute myeloid leukemia with mutated NPM1★
	CEBPA変異を伴う急性骨髄性白血病★		Acute myeloid leukemia with mutated CEBPA★
9891/3	急性単芽球性／単球性白血病★	9891/3	Acute monoblastic and monocytic leukemia★
9895/3	骨髄異形成変化を伴う急性骨髄性白血 病★	9895/3	Acute myeloid leukemia with myelodysplasia-related changes★
9896/3	急性骨髄性白血病、t(8;21)(q22;q22); RUNX1-RUNX1T1★	9896/3	Acute myeloid leukemia with t(8;21)(q22;q22); RUNX1-RUNX1T1★
9897/3	急性骨髄性白血病、t(9;11)(p22;q23); MLLT3-MLL★	9897/3	Acute myeloid leukemia with t(9;11)(p22;q23); MLLT3-MLL★
9920/3	治療関連骨髄系腫瘍★	9920/3	Therapy related myeloid neoplasm★
9960/3	骨髄増殖性腫瘍, NOS★	9960/3	Myeloproliferative neoplasm, NOS★
9961/3	原発性骨髄線維症★	9961/3	Primary myelofibrosis★
9964/3	慢性好酸球性白血病、NOS★	9964/3	Chronic eosinophilic leukemia, NOS★
9982/3	著明な血小板増加症と関連する 環状鉄芽球を伴う不応性貧血★	9982/3	Refractory anemia with ring sideroblasts associated with marked thrombocytosis★
9985/3	小児不応性血球減少★	9985/3	Refractory cytopenia of childhood★
9986/3	(5q)単独欠損を伴う骨髄異形成症候群★	9986/3	Myelodysplastic syndrome with isolated del (5q)★
9989/3	骨髄異形成症候群、分類不能★	9989/3	Myelodysplastic syndrome, unclassifiable★

付録 9 : ICD-0第3版（一部改正2012）で 形態コードが変更された用語

旧	用語	原語	新
8157/1	腸グルカゴン腫瘍、NOS	Enteroglucagonoma, NOS	8152/1
8157/3	腸グルカゴン腫瘍、悪性	Enteroglucagonoma, malignant	8152/3
9680/3	T細胞／高組織球大細胞性B細胞型リンパ腫	T-cell/histiocyte rich large B-cell lymphoma	9688/3
9684/3	形質芽球型リンパ腫	Plasmablastic lymphoma	9735/3
9752/1	ランゲルハンス細胞組織球症、単局性 [obs]	Langerhans cell histiocytosis, unifocal [obs]	9751/3
9752/1	ランゲルハンス肉芽腫症、単局性 [obs]	Langerhans cell granulomatosis, unifocal [obs]	9751/3
9752/1	ランゲルハンス細胞組織球症、単骨浸透性 [obs]	Langerhans cell histiocytosis, mono-ostotic [obs]	9751/3
9753/1	ランゲルハンス細胞組織球症、多病巣性 [obs]	Langerhans cell histiocytosis, multifocal [obs]	9751/3
9753/1	ランゲルハンス細胞組織球症、多骨浸透性 [obs]	Langerhans cell histiocytosis, poly-ostotic [obs]	9751/3
9753/1	ハンド・シュューラー・クリスチャン病 [obs]	Hand-Schuller-Christian disease [obs]	9751/3
9754/3	ランゲルハンス細胞組織球症、播種性 [obs]	Langerhans cell histiocytosis, disseminated [obs]	9751/3
9754/3	ランゲルハンス細胞組織球症、全身性 [obs]	Langerhans cell histiocytosis, generalized [obs]	9751/3
9754/3	レッテラー・ジーベ病 [obs]	Letterer-Siwe disease [obs]	9751/3
9754/3	急性進行性組織球症 X [obs]	Acute progressive histiocytosis X [obs]	9751/3
9754/3	非脂質性細網上皮増殖症 [obs]	Nonlipid reticuloendotheliosis [obs]	9751/3
9975/1	骨髄増殖性疾患、NOS [obs]	Myeloproliferative disease, NOS [obs]	9960/3

付録10：ICD-O第3版（一部改正2012）から削除された用語

旧形態コード (ICD-O3)	用語		原語
8152/1	グルカゴノーマ, NOS (C25.) (腸グルカゴン腫瘍に置き換えられた)	8152/1	Glucagonoma, NOS (C25.) (replaced with Enteroglucagonoma, NOS)
8152/3	グルカゴノーマ, 悪性 (C25.) (腸グルカゴン腫瘍、悪性に置き換えら れた)	8152/3	Glucagonoma, malignant (C25.) (replaced with Enteroglucagonoma, malignant)
8240/1	カルチノイド腫瘍, NOS, 虫垂 (C18.1) (8240/3 カルチノイド腫瘍, NOSに置き 換えられた)	8240/1	Carcinoid tumor, NOS, of appendix (C18.1) (replaced with 8240/3 Carcinoid tumor, NOS)
8240/1	虫垂カルチノイド, NOS (C18.1) (8240/3 カルチノイド, NOSに置き換 えられた)	8240/1	Carcinoid, NOS, of appendix (C18.1) (replaced with 8240/3 Carcinoid, NOS)
9766/1	リンパ腫様肉芽腫症 (リンパ腫様肉芽腫症に置き換えられ た)	9766/1	Lymphoid granulomatosis (replaced with lymphomatoid granulomatosis)
9975/1	骨髄増殖性疾患, NOS [obs] 975/3 骨髄増殖性新生物(腫瘍), 分類 不能に置き換えられた)	9975/1	Myeloproliferative disease, NOS [obs] (replaced with 9975/3 Myeloproliferative neoplasm, unclassifiable)

**付録11：ICD-0第3版（一部改正2012）で
性状コードが変更された用語
境界悪性から悪性に変更された用語**

旧	用語	原語	新
8240/1	カルチノイド腫瘍、NOS、虫垂 (C18.1)	Carcinoid tumor, NOS, of appendix (C18.1)	8240/3
8240/1	虫垂カルチノイド、NOS (C18.1)	Carcinoid, NOS, of appendix (C18.1)	8240/3
9751/1	ランゲルハンス細胞組織球症、NOS [obs]	Langerhans cell histiocytosis, NOS [obs]	9751/3
9751/1	ランゲルハンス肉芽腫症 [obs]	Langerhans cell granulomatosis [obs]	9751/3
9751/1	組織球症 X、NOS [obs]	Histiocytosis X, NOS [obs]	9751/3
9831/1	T細胞大顆粒リンパ球性白血病 T細胞大顆粒リンパ球増加症 NK細胞大顆粒リンパ球性白血病 大顆粒リンパ球増加症、NOS	T-cell large granular lymphocytic leukemia T-cell large granular lymphocytosis NK-cell large granular lymphocytic leukemia Large granular lymphocytosis, NOS	9831/3

境界悪性から良性に変更された用語

8453/1	中等度異形成を伴う導管内乳頭状粘液腫瘍 (C25.1)	Intraductal papillary-mucinous tumor with moderate dysplasia (C25.1)	8453/0
8470/1	中等度異形成を伴う粘液性のう胞腫瘍 (C25.)	Mucinous cystic tumor with moderate dysplasia (C25.)	8470/0

付録12： ICD-0第3版（一部改正2012）で 第一選択用語から同義語に変更された用語

	用語	原語
8077/2	扁平上皮内腫瘍、Ⅲ度	Squamous intraepithelial neoplasia, grade III
8148/2	上皮内腺腫瘍、Ⅲ度	Glandular intraepithelial neoplasia, grade III
8150/0	島細胞腺腫 (C25.)	Islet cell adenoma (C25.)
8150/1	島細胞腫瘍、NOS (C25.)	Islet cell tumor, NOS (C25.)
8150/3	島細胞癌 (C25.)	Islet cell carcinoma (C25.)
8154/3	島細胞・外分泌細胞混合腺癌 (C25.)	Mixed islet cell and exocrine adenocarcinoma (C25.)
8244/3	複合カルチノイド	Composite carcinoid
9716/3	肝脾型(ガンマ・デルタ)細胞リンパ腫	Hepatosplenicys (gamma-delta) cell lymphoma
9895/3	多系統形成異常を伴う急性骨髄性白血 病	Acute myeloid leukemia with multilineage dysplasia
9920/3	治療関連急性骨髄性白血病	Therapy-related acute myeloid leukemia, NOS
9960/3	慢性骨髄増殖性疾患、NOS	Chronic myeloproliferative disease, NOS
9961/3	骨髄化生を伴う骨髄硬化症	Myelosclerosis with myeloid metaplasia
9964/3	好酸球増多症候群	Hypereosinophilic syndrome